

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Patent of:

The Medical House PLC

Patent No.: 7,645,265

Filed: January 24, 2005

Atty. File No.: 7095MH-5

For: "INJECTION DEVICE"

REQUEST FOR CERTIFICATE OF  
CORRECTION OF PATENT FOR PTO  
MISTAKE (37 CFR 1.322(a))

<p>CERTIFICATE OF TRANSMISSION</p> <p>I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING TRANSMITTED VIA THE OFFICE ELECTRONIC FILING SYSTEM IN ACCORDANCE WITH 37 CFR §1.6(a)(4) ON <u>April 8, 2010</u></p> <p>SHERIDAN ROSS, P.C.</p> <p>BY: <u>E. J. Jentzen</u></p>
--

Attn: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Patentee has identified a typographical error in Claim 30. The typographical error is apparent from a comparison of text of the issued patent with the amended claims filed June 17, 2009, in response to the Office Action mailed June 12, 2009.

Patentee requests that at column 14, line 37 (Claim 30), the term "an inner" be changed to --an inner housing--. The typographical error was an inadvertent mistake that appears to have arisen when the Examiner entered an Examiner's Amendment in connection with the Notice of Allowance and Fees Due mailed September 2, 2009. In view of the above, Patentee respectfully requests the requested correction be entered.

Submitted herewith is form PTO SB/44 containing the text of the correction requested. Patentee believes the error to be a PTO mistake under 37 CFR 1.322(a). However, if the Office deems this error to be Applicant's mistake under 37 CFR 1.323(a), patentee submits that the error is of a minor character, which neither adds new matter nor requires reexamination and

hereby authorizes payment in the amount of \$100.00 for the processing fee set forth in 37 C.F.R.  
§1.20(a).

Respectfully submitted,

SHERIDAN ROSS P.C.

By: \_\_\_\_\_



Bradley M. Knepper  
Registration No. 44,189  
1560 Broadway, Suite 1200  
Denver, Colorado 80202-5141  
(303) 863-9700

Date: \_\_\_\_\_

April 7, 2010